

Automatic chlorine dosage + pH regulator + Amperometric regulation



Benefits

- **Smart pH:** predictive regulation according to the history for a perfectly stable pH
- **IPS HD panel** for optimal display quality
- **Dynamic backlit capacitive keys** for easy navigation
- **Automatic brightness adjustment** via light sensor
- **Automatic standby output** by presence sensor
- **Intelligent user guidance** by written message
- **Colour-coded display of the pool status:** blue: optimal water quality, orange: information message, red: alarm
- **Indicators of the status of the device's functions** using pictograms (OFF, STOP, INJ...)
- **Simultaneous display** of setpoints, Cl and pH values, and water temperature
- **High quality pH Black and Chlorine Fresh probes** factory tested and calibrated
- **Bluetooth remote control** with e-Pool® app

Features

- **Automatic chlorine dosage** by amperometric probe
- **Chlorine regulation** by efficient free chlorine probe specifically designed for fresh water
- **Limits the risk of over-chlorination** and protects equipment (shutters, liner, etc.)
- **Intelligent, predictive and proportional pH control** in acid (pH-) or basic (pH+) mode according to injection history
- **Safeties:** high and low ampero values, unreachd setpoints, pH setpoint overrun and overfeeding
- **Multilingual alarm message:** origin of the malfunction indicated by written message
- **Adjustable free chlorine and pH setpoints**
- **Log of events**
- **Easy installation and assembly**

Automatic chlorine dosage + pH regulator + Amperometric regulation


Model	Pool volume (m ³)	Pump flow(l/h)	Reference
Dosipool Ampero	120	1,8	DOAP23NPSP-G5
Dosipool Ampero panel	120	1,8	DOAP23NPSP-G5 PANAMP

Technical specification

Display	IPS HD panel
Screen size	4,3 inches
Keyboard type	capacitive keys
Presence sensor range (cm)	20
Free chlorine adjustment setpoint (ppm)	0,1 to 5 ppm
Amperometric probe	Cl Fresh
pH pump flow (l/h)	1,8
Corrective solution	pH- or pH+
pH pump type	peristaltic
pH regulation type	predictive
pH setpoint adjustment	6,8 to 7,6
pH probe calibration	2 points pH 7 and pH 10
Control panel size (mm)	W 140 x H 300 x D 97

Installation Diagram

Panel mounting



Warranties

2
years

Box

3
years

Probe
pH Black

1
year

Probe
Cl Fresh